



# BioSim<sup>™</sup> anti-Omalizumab (Human) ELISA Kit

rev 06/20

(Catalog # E4395-100, 100 assays, Store at 4°C)

#### I. Introduction:

Omalizumab is a recombinant DNA-derived humanized IgG1k monoclonal antibody that selectively binds to human immunoglobulin E (IgE). Omalizumab inhibits the binding of IgE to the high-affinity IgE receptor (FceRI) on the surface of mast cells and basophils. Reduction in surface-bound IgE on FceRI-bearing cells limits the degree of release of mediators of the allergic response. Omalizumab is used to treat severe, persistent asthma. However, some patients develop unwanted immunogenicity, which leads to production of anti-drug-antibodies (ADAs) inactivating the therapeutic effects of the treatment and, in rare cases, inducing adverse effects. BioVision's BioSim<sup>TM</sup> anti-Omalizumab ELISA kit is designed to detect antibody against Omalizumab with high specificity and sensitivity in biological matrices.

### II. Application:

This ELISA kit is used for *in vitro* qualitative determination of antibody against Omalizumab in serum and plasma Cross Reactivity: Omalizuma infusion camouflages/masks the presence of antibody to Omalizumab (ATO) in serum/plasma samples. Therefore, blood sampling time is critical for detection of ATO. It is convenient to obtain blood sample just before the infusion or at least 2 weeks after the infusion of Omalizumab.

## III. Sample Type:

Human serum and plasma

## IV. Kit Contents:

Components	E4395-100	Part No.
Micro ELISA Plate	1 plate	E4395-100-1
Positive Control	0.25 ml	E4395-100-2
Negative Control	0.5 ml	E4395-100-3
Assay Buffer	12 ml	E4395-100-4
Peroxidase Conjugate	12 ml	E4395-100-5
TMB substrate (Avoid light)	12 ml	E4395-100-6
Stop Solution	12 ml	E4395-100-7
Wash buffer (20X)	50 ml	E4395-100-8
Plate sealers	2	E4395-100-9

## V. User Supplied Reagents and Equipment:

- Microplate reader capable of measuring absorbance at 450 nm
- Precision pipettes with disposable tips
- Clean eppendorf tubes for preparing standards or sample dilutions
- Absorbent paper

# VI. Storage and Handling:

The entire kit may be stored at 4°C for up to 12 months from the date of shipment.

## VII. Reagent and Sample Preparation:

Note: Before using the kit, spin tubes and bring down all components to the bottom of tubes.

- 1. **Wash Buffer**: Dilute the 20X Wash Buffer to 1X solution in ddH<sub>2</sub>O (10 ml of Wash Buffer stock to 190 ml of ddH<sub>2</sub>O). Mix the 1X solution thoroughly by vortex manually. The working stock can be stable for 2 weeks after preparation at 4°C.
- 2. Samples preparation: The usual precautions for venipuncture should be observed. Samples are stable at 4°C for 7 days and -20°C for 6 months. Avoid freeze-and-thaw cycle.

## VIII. Assay Protocol:

Note: Bring all reagents, microplate and samples to room temperature 15 minutes prior to the assay.

It is recommended that all standards and samples be run at least in duplicate.

A standard curve must be run with each assay.

- 1. Prepare all reagents, samples and standards as instructed in section VII.
- 2. Pipette 100 µl of Assay Buffer into each of the wells to be used.
- 3. Add 10 µl of **negative control** (2 wells), **positive control**, and **samples** into appropriate wells. Cover wells and incubate for 60 minutes at room temperature (RT).
- 4. Discard incubation solution. Wash plate 3 times each with 300 μl of diluted **Wash Buffer**. Remove excess solution by tapping the inverted plate on a paper towel.
- 5. Add 100 µl of Peroxidase Conjugate into each well. Cover wells with adhesive plate sealer and incubate at RT for 60 minutes.
- 6. Discard the solution and wash the wells as step 3.
- 7. Add 100 µl of 1X TMB substrate solution and incubate the plate in dark at RT for 20 minutes
- 8. Add 100 µl of Stop solution to stop the reaction
- 9. Read the absorbance in micro plate reader set to 450 nm within 20 minutes. (reference wavelength to 650 nm)



## Gentaur Europe BVBA Voortstraat 49, 1910 Kampenhout BELGIUM Tel 0032 16 58 90 45 info@gentaur.com



## IX. QUALITATIVE INTERPRETATION:

- For the run to be valid, the OD450/650 nm of Positive Control (Standard A) should be ≥ 1.0 and the OD450/650 nm of each Negative Control should be <0.2, if not, improper technique or reagent deterioration may be suspected and the run should be repeated.
- If "Sample OD<sub>450/850</sub>/ Negative Control OD<sub>450/850</sub>" is < 3, the sample is NEGATIVE for Antibody to Omalizumab.</li>
- If "Sample OD450/650 / Negative Control OD450/650" is ≥ 3, the sample is POSITIVE for Antibody to Omalizumab.

## X. RELATED PRODUCTS:

- BioSim<sup>™</sup> Rituximab (Mabthera®) (Human) ELISA Kit (Cat. No. E4371-100)
- BioSim<sup>™</sup> Adalimumab (Humira®) (Human) ELISA Kit (Cat. No. E4372-100)
- BioSim<sup>™</sup> Bevacizumab (Human) ELISA Kit (Cat. No. E4373-100)
- BioSim<sup>™</sup> Etanercept (Enbrel®) (Human) ELISA Kit (Cat. No. E4374-100)
- BioSim<sup>™</sup> Infliximab (Remicade®) (Human) ELISA Kit (Cat. No. E4375-100)
- BioSim<sup>™</sup> Trastuzumab (Human) ELISA Kit (Cat. No. E4376-100)
- BioSim<sup>™</sup> Golimumab (Simponi®) (Human) ELISA Kit (Cat. No. E4377-100)
- BioSim<sup>™</sup> Infliximab (Remsima®) (Human) ELISA Kit (Cat. No. E4378-100)
- BioSim<sup>™</sup> Cetuximab (Erbitux®)(Human) ELISA Kit (Cat. No. E4379-100)
- BioSim™ Denosumab (Prolia®)(Human) ELISA Kit (Cat. No. E4380-100)
  BioSim™ Omalizumab (Human) ELISA Kit (Cat. No. E4381-100)
- BioSim<sup>™</sup> Nivolumab (Opdivo®)(Human) ELISA Kit (Cat. No. E4382-100)
- BioSim<sup>™</sup> Pembrolizumab (Keytruda®)(Human) ELISA Kit (Cat. No. E4383-100)
- BioSim<sup>™</sup> Ipilimumab (Yervoy®)(Human) ELISA Kit (Cat. No. E4384-100)
- BioSim<sup>™</sup> Rituximab (Mabthera®) (Human) ELISA Kit (Cat. No. E4385-100)
- BioSim<sup>™</sup> Trastuzumab (Human) ELISA Kit (Cat. No. E4386-100)
- BioSim<sup>™</sup> Infliximab (Remicade®) (Human) ELISA Kit (Cat. No. E4387-100)
- BioSim<sup>™</sup> Adalimumab (Humira®) (Human) ELISA Kit (Cat. No. E4388-100)
- BioSim™ Bevacizumab (Human) ELISA Kit (Cat. No. E4389-100)
- BioSim<sup>™</sup> Infliximab (Remsima®) (Human) ELISA Kit (Cat. No. E4390-100)
- BioSim<sup>™</sup> Cetuximab (Erbitux®) (Human) ELISA Kit (Cat. No. E4391-100)
- BioSim<sup>™</sup> Etanercept (Enbrel®) (Human) ELISA Kit (Cat. No. E4392-100)
- BioSim<sup>™</sup> Golimumab (Simponi®) (Human) ELISA Kit (Cat. No. E4393-100)
- BioSim<sup>™</sup> Denosumab (Prolia®) (Human) ELISA Kit (Cat. No. E4394-100)
- BioSim<sup>™</sup> Omalizumab (Human) ELISA Kit (Cat. No. E4395-100)
- BioSim<sup>™</sup> Nivolumab (Opdivo®) (Human) ELISA Kit (Cat. No. E4396-100)
- BioSim<sup>™</sup> Pembrolizumab (Keytruda®) (Human) ELISA Kit (Cat. No. E4397-100)
- BioSim<sup>TM</sup> Ipilimumab (Yervoy®) (Human) ELISA Kit (Cat. No. E4398-100)
- BioSim™ Filgrastim (Human) ELISA Kit (Cat. No. E4399-100)