BioVision 10/17 For research use only

Anti-Androgen Receptor Antibody (SPM335)

CATALOG NO: A1429-100

ALTERNATIVE NAMES: AIS, Dihydrotestosterone receptor (DHTR), HUMARA; HYSP1,

Kennedy disease (KD), Nuclear receptor subfamily 3 group C member 4 (NR3C4), SMAX1, Spinal and bulbar muscular atrophy

(SBMA), Testicular Feminization (TFM)

AMOUNT: 100 μg

IMMUNOGEN: A synthetic peptide, aa 302-318 (STEDTAEYSPFKGGYTK) of

human AR

HOST/ISOTYPE: Mouse IgG1

CLONALITY: Monoclonal

CLONE: SPM335

MOL WEIGHT: 110 kDa

SPECIES REACTIVITY: Human

PURIFICATION: Protein A/G purified

FORM: Liquid

FORMULATION: Supplied in 10 mM PBS with 0.05% BSA & 0.05% azide

STORAGE CONDITIONS: Shipped at 4°C. For long term storage store at -20°C in small

aliquots to prevent freeze-thaw cycles

DESCRIPTION: Recognizes a protein of 110kDa, which is identified as androgen

receptor (AR). It reacts with full length, and the newly described A form of the receptor. It does not cross react with estrogen, progesterone, or glucocorticoid receptors. The expression of AR is reportedly inversely correlated with histologic grade i.e. well differentiated prostate tumors show higher expression than the poorly differentiated tumors. In prostate cancer, AR has been proposed, as a marker of hormone-responsiveness and thus it may be useful in identifying patients likely to benefit from anti-androgen therapy. Anti-androgen receptor has been useful clinically in differentiating morpheaform basal cell carcinoma (mBCC) from desmoplastic trichoepithelioma (DTE) in the skin. This MAb is

superb for staining of formalin/paraffin tissues.

APPLICATION: FC: 0.5-1 ug/1X10⁶ cells


IF: 0.5-1 ug/ml)

IHC (Formalin-fixed): 0.5-1 ug/ml for 30 minutes at RT

(Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Tris buffer with 1mM EDTA, pH 9.0, for 10-20 min followed

by cooling at RT for 20 minutes)

Note: This information is only intended as a guide. The optimal dilutions must be determined by the user.



Formalin-fixed, paraffin-embedded human prostate carcinoma stained with Androgen Receptor Monoclonal Antibody

RELATED PRODUCTS:

- Anti-ACTH Antibody (SPM501) (Cat. No. A1418)
- Anti-ACTH Antibody (r57) (Cat. No. A1419)
- Anti-Adiponectin Antibody (ADPN/1370) (Cat. No. A1420)
- Anti-Adipophilin Antibody (ADFP/1365) (Cat. No. A1421)
- Anti-Adipophilin Antibody (ADFP/1494) (Cat. No. A1422)
- Anti-AFP Antibody (C3) (Cat. No. A1423)
- Anti-ALDH1A1 Antibody (ALDH1A1/1381) (Cat. No. A1424)
- Anti-ALK Antibody (ALK/1503) (Cat. No. A1425)
- Anti-Alkaline Phosphatase Antibody (ALPL/597) (Cat. No. A1426)
- Anti-Alpha-1-Antitrypsin Antibody (AAT/1378) (Cat. No. A1427)

FOR RESEARCH USE ONLY! Not to be used on humans.

