

Anti-TAG-72 Antibody (IHC072)

CATALOG NO:	A1546-50
ALTERNATIVE NAMES:	Tag-72 Protein TAG-72, CA 72-4, Protein TAG-72, tag 72
AMOUNT:	50 µl
IMMUNOGEN:	TAG-72
HOST/ISOTYPE:	IgG1, kappa
CLONALITY:	Monoclonal
CLONE:	IHC072
MOL WEIGHT:	220 kDa
SPECIES REACTIVITY:	Human
PURIFICATION:	Protein A/G purification
FORM:	Liquid
FORMULATION:	Tris Buffer, pH 7.3 - 7.7, with 1% BSA and <0.1% Sodium Azide
STORAGE CONDITIONS:	Shipped at 4°C. For long term storage store at 4°C. Do not freeze.
DESCRIPTION:	Tumor-Associated Glycoprotein 72 (TAG-72) is a glycoprotein found on the surface of many cancer pathologies. Anti-TAG-72 can be useful for detecting some adenocarcinomas and non-neoplastic tissues. This diagnostic grade TAG-72 IVD antibody is useful for identifying adenocarcinomas in positive staining, but in mesotheliomas no staining is observed.
APPLICATION:	IHC: 1:100 - 1:200

Note: This information is only intended as a guide. The optimal dilutions must be determined by the user.



Formalin-fixed, paraffin-embedded
Colon tissue stained with TAG-72
[IHC072]

RELATED PRODUCTS:

- Anti-Catenin, beta Antibody (CTNNB1/1507) (Cat. No. A1467)
- Human CellExp™ TROP-2 / TACSTD2, Human recombinant (Cat. No. P1132)
- Human CellExp™ Mucin-1/MUC-1, human recombinant (Cat. No. 8019)
- Human CellExp™ LRRC4 /NGL-2, human recombinant (Cat. No. 7461)

FOR RESEARCH USE ONLY! Not to be used on humans.