

TLR8 Blocking Peptide

CATALOG #: 3558RBP-50

AMOUNT: 50 µg

FORMULATION:

50 µg (0.5 mg/ml) in phosphate buffered saline (PBS), pH 7.2, containing 30% glycerol, 0.5% BSA, 0.5 mM EDTA, and 0.03% Proclin.

STORAGE CONDITIONS:

Store at -20 °C. For long-term storage, aliquot and refreeze at -70 °C. Avoid repeated freeze/thaw cycles.

APPLICATION AND USAGE:

The peptide is used for blocking antibody activity of TLR8 (Cat.# 3558R-100). It usually blocks the antibody activity completely in Western blot analysis by incubating the peptide with equal volume of antibody for 30-60 minutes at 37°C.

INTERNAL ID#: D87-D88

FOR RESEARCH USE ONLY! Not to be used in humans.

RELATED PRODUCTS:

- TLR8 Antibody (Cat. No. 3558R)
- TLR7 Antibody (Cat. No. 3557)
- TLR5 Antibody (Cat. No. 3555R)
- TLR5 Blocking Peptide (Cat. No. 3555RBP)
- TLR2 Antibody (Clone BV31-9) (Cat. No. 3569)
- TLR9 Antibody (Cat. No. 3559R)
- TLR9 Blocking Peptide (Cat. No. 3559RBP)