

Human CellExp™ CD27 / TNFRSF7, Fc Tag, Cynomolgus/Rhesus macaque Recombinant

03/19

CATALOG NO: P1407-10 10 μg P1407-50 50 μg

ALTERNATE NAMES: CD27, TNFRSF7, S152, T14, Tp55

MOL. WT. This protein carries a mouse IgG2a Fc tag at the C-terminus. The protein has a calculated MW of 46.2

kDa. The protein migrates as 50-66 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.

SOURCE: HEK 293 cells

PURITY: >95% SDS-PAGE

ENDOTOXIN: Less than 0.1 EU per µg by the LAL method.

FORM: Lyophilized

FORMULATION: Lyophilized from 0.22 µm filtered solution in 50 mM Tris, 100 mM Glycine, pH 7.5. Normally trehalose is

added as protectant before lyophilization.

RECONSTITUTION: Reconstitute in sterile deionized water to the desired protein concentration.

SPECIFIC ACTIVITY: Immobilized Cynomolgus / Rhesus macaque CD27, Mouse IgG2a Fc Tag at 2 µg/mL (100 µL/well) can

bind Biotinylated Human CD27 Ligand, Fc Tag with a linear range of 2-31 ng/mL

STORAGE CONDITIONS: Store at -20°C. After reconstitution, aliquot and store at -20°C and use within 3 months. Avoid repeated


freezing and thawing cycles. -20°C

DESCRIPTION: CD Antigen CD27 is also known as Tumor necrosis factor receptor superfamily member 7 (TNFRSF7),


which belongs to TNF-receptor superfamily. CD27 / TNFRSF7 is found in most T-lymphocytes. CD27 / TNFRSF7 is required for generation and long-term maintenance of T cell immunity. It binds to ligand CD70, and plays a key role in regulating B-cell activation and immunoglobulin synthesis. This receptor transduces signals that lead to the activation of NF-κB and MAPK8/JNK. CD27 has been shown to interact with SIVA1.

TRAF2 and TRAF3.

AMINO ACID SEQUENCE: AA Ala 20 - Arg 191



Gentaur Europe BVBA Voortstraat 49, 1910 Kampenhout BELGIUM Tel 0032 16 58 90 45 <u>info@gentaur.com</u>




Biotinylated Human CD27 Ligand, Fc Tag Conc. (ng/mL)

Immobilized Cynomolgus / Rhesus macaque CD27, Mouse IgG2a Fc Tag at 2 μ g/mL (100 μ L/well) can bind Biotinylated Human CD27 Ligand, Fc Tag with a linear range of 2-31 ng/mL







Cynomolgus / Rhesus macaque CD27, Mouse IgG2a Fc Tag on SDS-PAGE under reducing (R) condition.

RELATED PRODUCTS:

Human CellExp™ CD27 / TNFRSF7, Human recombinant (9243)

Human CellExp™ CD27 Ligand/ CD70, Fc Tag, Mouse Recombinant (P1367) Human CellExp™ CD27 Ligand/ CD70, Human Recombinant (P1381)

Human CellExp™ CD27 Ligand/ CD70, Fc Tag, Human Recombinant (P1366)

FOR RESEARCH USE ONLY! Not to be used on humans.



Gentaur Europe BVBA Voortstraat 49, 1910 Kampenhout BELGIUM Tel 0032 16 58 90 45 info@gentaur.com